

A Supplier Guide to Carbon Reduction Management

Herzogenaurach 03.07.2023



- 1. Introduction to climate change
 - 2. How to develop a climate strategy
 - 3. Overview of reduction levers
 - 3.1 Optimize energy & process efficiency
 - 3.2 Purchase and generate renewable energy
 - 3.3 Increase share of recycled and scrap material
 - 3.4 Optimize logistics
 - 3.5 Further reduction levers
 - 4. Glossary and definitions


The Paris Agreement is considered a milestone in global climate protection

Conférence sur les Changements Climatiques 2015

COP21/CMP11



However, current ambitions and reduction targets are far from sufficient



Key aspects:

- In order to achieve the Paris climate goals, a massive acceleration in the reduction of absolute emissions is essential
- The remaining global CO₂e budget to reach a temperature increase of below 1.5°C will be used up in less than 7 years

It is imperative to implement effective climate protection now

96%

of the companies have set reduction targets in at least one scope.

11%

have reduced their emissions in line with their targets in the last 5 years.

9%

comprehensively measure their emissions.

Schaeffler's commitment and sustainability strategy is based on ESG

Action fields of the Schaeffler Group



ENVIRONMENT

- 1 Climate neutrality
- 2 Circularity
- **3** Resource efficiency and environmental protection
- 4 Green products



SOCIAL

- 5 Diversity, employees, and people development
- 6 Occupational health and safety
- 7 Responsibility in society and supply chain
- 8 Product safety and integrity



GOVERNANCE

- 9 Corporate governance
- **10** Business integrity

Key aspects:


- We define sustainability along the three dimensions of Environment, Social, and Governance (ESG)
- The Schaeffler Group commits itself towards the Paris Agreement, the 17 SDG goals as well as supports the ten principles of the UN Global Compact
- The focus of this presentation lies on climate neutrality
- Further details can be found here: <u>Sustainability Report</u>






- 1. Introduction to climate change
- 2. How to develop a climate strategy
 - 3. Overview of reduction levers
 - 3.1 Optimize energy & process efficiency
 - 3.2 Purchase and generate renewable energy
 - 3.3 Increase share of recycled and scrap material
 - 3.4 Optimize logistics
 - 3.5 Further reduction levers
 - 4. Glossary and definitions

2. Approach towards a low carbon intense company and supply chain




I. Carbon Footprint Calculation: Operational boundaries



Key aspects:

- According to the Greenhouse Gas Protocol (GHG), CO₂e emissions are divided into scopes
- Scope 1: Self-controlled emissions (direct)
- Scope 2: Purchased energy (indirect)
- Scope 3: Upstream and downstream emissions (indirect)

I. Carbon Footprint Calculation: Organizational boundaries



Key aspects:

- Own operation and subsidiaries with a controlling stake (majority of stakes) must be included in the corporate carbon accounting
- In case of M&A activities, a restatement of the base year might be necessary

I. Carbon Footprint Calculation: Status quo and hotspot identification



Physical Unit

Aggregate supplier-specific volume (e.g. weight for physical goods, liters for liquids, ton-kilometer in logistics) data



Emission Factors

Use case-specific emission factors per physical unit that can be weighted-averaged by region, industry or, in case of logistics, transportation mode



CO₂


Emissions

Obtain case-specific emissions that can be aggregated by region, purchasing category, or transportation mode for example

Having transparency across a company's Scope 1 (direct from own operation), Scope 2 (indirect from own operation) and Scope 3 (up- and downstream) emissions is the first step towards a climate-neutral operation.

II. Set Reduction Targets: Know your reduction path

The Schaeffler Group's SBTi targets:




Reduction targets helps with monitoring and tracking an operations climate impact as well as to commit to the implementation of concrete reduction levers.

Key aspects:

- Based on the carbon accounting from the previous step concrete reduction targets can be derived
- Ideally these targets are science based and in line with the Paris Agreement
- The Science-Based-Target Initiative (SBTi) provides guidance and certifies the targets based on the remaining global emission budget until the year 2100
- Schaeffler does not accept carbon compensation to reduce emissions

III. Implement Reduction Levers: Identify and analyze hotspots

Example of typical OEM Scope 1-3U levers:



Key aspects:

- A majority of levers can be implemented at a relatively low cost (e.g. switch to renewable power).
- Some carbon reduction levers even hold the potential for additional cost savings (e.g. increase process efficiency)

Note: Few very minor levers not explicitly shown Source: World Economic Forum & BCG report 'The Supply Chain Opportunity' (Jan 2021)

IV. Supplier Engagement: Carbon reduction as a joint effort

Fulfilment of basic requirements



- Consideration of Schaeffler Sustainability Policies
- Acceptance of Schaeffler Supplier Code of Conduct
- Conflict Mineral Compliance
- Support of addressed measures based on Sustainability risk assessment according German Act on Corporate Due Diligence Obligations in Supply Chains
- Completion of requested CCF/ PCF disclosures

Status Quo

Further Development



- Implementation of risk mitigation measures based on Sustainability risk assessment
- Alignment of further steps via Sustainability Target Agreement
- Continuous improvement of SAQ Score via NQC
- Improving transparency towards carbon emissions / decarbonization strategies
- Validated CO₂ calculation based recognized standards (e.g. ISO 14067, GHG etc.)
- CDP disclosure (upon request)

2023 + 2024

Continues Sustainable Business Relation



- 100% usage of renewable energy sources
 @ suppliers latest till 2030
- Continuous development of carbonreduced product portfolio
- Circular economy strategy support
- Transparent and risk free critical raw materials supply chain



More Information | News for suppliers

Sustainability

2025 +

V. Transparent Communication and Trainings

Communication:



- A Sustainability Report can help increase transparency and foster credibility of the company
- Internal communication regarding sustainable activities will increase awareness and results in a change in mindset
- The continuous presence of sustainability and the resulting need to act helps in facilitation the transformation towards a climate-neutral entity

Trainings:



- General sustainability trainings increase awareness and nurtures understanding for the required changes
- Topic-specific trainings will provide employees in the respective departments with relevant and applicable know-how
- It is important to keep the focus group in mind: team members might need different information and degree of detail than managers

VI. Governance Structure

IMPORTANT: The sustainability governance structure might look different for each company depending on its overall organizational setup and priorities.

However, a few general characteristics and criteria should be considered when implementing a sustainability organization, among others:

- ☐ Having a central steering body for decision-making, target setting and overall sustainability strategy
- ☐ Identifying relevant action fields along the ESG framework will help to set the focus
- ☐ Implement sustainability in the general decision-making process
- ☐ Establish experts and coordinators within relevant departments / regions / divisions / functions

KEY CHALLENGE: Establishing a sustainability network that is embedded in the organization to ensure knowledge building, lever implementation, and target achievement.



- 1. Introduction to climate change
- 2. How to develop a climate strategy
- 3. Overview of reduction levers
 - 3.1 Optimize energy & process efficiency
 - 3.2 Purchase and generate renewable energy
 - 3.3 Increase share of recycled and scrap material
 - 3.4 Optimize logistics
 - 3.5 Further reduction levers
 - 4. Glossary and definitions

3. Overview of reduction levers: AVOID and REDUCE carbon emissions











This section is meant to provide a universal overview of the most common levers. The different stages along the supply chain, from mining raw materials to assembling the end-product, might require varying reduction levers.



- 1. Introduction to climate change
- 2. How to develop a climate strategy
- 3. Overview of reduction levers
- 3.1 Optimize energy & process efficiency
 - 3.2 Purchase and generate renewable energy
 - 3.3 Increase share of recycled and scrap material
 - 3.4 Optimize logistics
 - 3.5 Further reduction levers
 - 4. Glossary and definitions



3.1 Optimize energy & process efficiency

Implement energy management system:

- Identify and focus on most relevant energy hotspots and consumers
- 2. Reduce base load (e.g. turnoff equipment/illumination during weekends and times of shut down)
- 3. Integrate energy efficiency as purchasing criteria for new equipment
- 4. Perform life cycle cost evaluation (invest + operating costs)
- 5. Regular internal audits and checks can help to control energy consumption

Examples of levers to improve energy efficiency can be:

Ventilation demand-oriented deployment, install heat recovery systems

Heating and Cooling central temperature control system, improvement of insulation

Lighting switch to LEDs, use of motion/time switch for rarely used areas, install central lighting control system

Compressed Air leakage control

Optimizing energy and process efficiency does not only reduce carbon emission, but it also has a major impact on cost savings.



- 1. Introduction to climate change
- 2. How to develop a climate strategy
- 3. Overview of reduction levers
 - 3.1 Optimize energy & process efficiency
- 3.2 Purchase and generate renewable energy
 - 3.3 Increase share of recycled and scrap material
 - 3.4 Optimize logistics
 - 3.5 Further reduction levers
 - 4. Glossary and definitions

3.2 Purchase and generate renewable energy

Purchasing renewable energy:


- Electricity consumption can often be the biggest source of CO₂e
 emissions and thus the most (cost) effective opportunity to reduce
 carbon emissions
- It is important to purchase green electricity from renewable sources (wind-power, solar, hydropower) and the corresponding certificates of origin in deregulated markets (i.e. Guarantees of Origin – GoO)
- Electricity from nuclear power sources are <u>NOT</u> renewable due to its hazardous output waste. However, it is a very low carbon footprint
- Power Purchase Agreement (PPA) can help to secure renewable electricity in the long-term including a price guarantee



Generating own renewable energy:

Electricity by solar power:

- Using photovoltaic panels to convert sunlight into electricity
- 6-8 m² solar panels can generate up to 700-1000 kWh annually
- National tax incentives can increase economic feasibility



- Biomass boilers are operated with wood chips, wood pellets or biogas
- Operate fully automated and can be implemented as contracting
- Consider space requirements (fuel storage), legal requirement (e.g. fire safety)



Cooling with geothermal energy:

- Use energy piles as a geo-cooling source, e.g. for cooling buildings and offices
- High-performance energy piles can be installed in open areas



Solar heat:

Solar hear installation consists of solar collectors, a heat exchanger, pipes, a pump, a control unit and a hot water tank, and can support hot water



Nuclear energy is not referred to as renewable energy due to its hazardous output waste. It is also not accepted by OEMs of our joint supply chain. However, it does have a lower carbon footprint compared to fossil-based energy generation.



- 1. Introduction to climate change
- 2. How to develop a climate strategy
- 3. Overview of reduction levers
 - 3.1 Optimize energy & process efficiency
 - 3.2 Purchase and generate renewable energy
- 3.3 Increase share of recycled and scrap material
 - 3.4 Optimize logistics
 - 3.5 Further reduction levers
 - 4. Glossary and definitions



3.3 Increase share of recycled and scrap material



Using secondary material:

- Increase proportion of secondary materials whenever possible (especially for steel, aluminum, and plastics)
- In case of aluminum, savings of up to 80% CO₂e reduction can be achieved
 - 1 ton of primary aluminum: ca. 13 tCO₂e
 - 1 ton of secondary aluminum: ca. 1.5 tCO₂e



Secondary material can come from three sources:

- Own production (Cutouts and other scrap leftover)
- Externally from upstream suppliers (Cutouts and other scrap leftover)
- Extracting new resources from recycled finished products




Benefits:

- Besides saving resources, a closed loop approach can also decrease cost of materials substantially

PUBLIC





- 1. Introduction to climate change
- 2. How to develop a climate strategy
- 3. Overview of reduction levers
 - 3.1 Optimize energy & process efficiency
 - 3.2 Purchase and generate renewable energy
 - 3.3 Increase share of recycled and scrap material
- 3.4 Optimize logistics
 - 3.5 Further reduction levers
 - 4. Glossary and definitions

3.4 Optimize logistics: Potential measures to reduce logistics emission

Optimize Transportation Network



- Increase and optimize utility rate, especially for truck loads
- Efficiency trainings for fleet managers and truck drivers as how you drive has a major impact on fuel consumption.
- Setup an internal awards scheme for efficient drivers
- Aerodynamic truck kits might lower your trucks fuel consumption
- Vehicles with GPS cruise control make use of peak momentum based on digital maps and GPS on gradients

Modal Shift



- Avoid air transportation whenever possible
- Switch from road transport to inland waterways or rail
- Compare CO₂e emissions when selecting carriers as a criterion for awarding transport contracts

Alternative Drives



Favor contractors with alternative drivers especially truck vehicles based on electricity, hydrogen or e-/biofuels such as HVO or Bio-Diesel; ships with BAF; and air freight based on SAF

Warehouse Optimization



- Switch to LED lighting
- Radiant heating systems to target heat supply for parts of warehouse where staff are working
- No need to heat warehouse areas where staff are not working (or minimal heating only)
- Use electric radiators and green energy wherever possible





- 1. Introduction to climate change
- 2. How to develop a climate strategy
- 3. Overview of reduction levers
 - 3.1 Optimize energy & process efficiency
 - 3.2 Purchase and generate renewable energy
 - 3.3 Increase share of recycled and scrap material
 - 3.4 Optimize logistics
- 3.5 Further reduction levers
 - 4. Glossary and definitions

3.5 Further reduction levers



Options to reduce travel emissions:

- MS-Team meeting an alternative
- Use train and public transportation whenever possible
- Check for car sharing possibilities
- Switch company car fleet to electric vehicles
- Fly economy (better space utilization compared to business/first class, hence, less emissions per person)
- Use direct flights (shorter distance and less take-off and landing, which is energy intense)



General and server specific measures:

- Use green energy to operate computers and servers
- Optimize cooling and ventilation systems

Office-related measures:

- Turn off equipment when not used (not standby) especially for weekends and holidays
- Decrease data usage by deleting files no longer needed and/or reducing data send via email



Carbon compensation is not accepted:

- Carbon investments should be focused on actual reduction and avoidance measures
- Actual emissions that have been emitted must be stated when reporting PCF/CCF
- Carbon compensation cannot be accepted as it will not be included in carbon accounting
 - Avoidance projects hold no longer the quality standards compared to carbon capture and storage
 - SBTi refers to carbon neutralization and only accepts carbon removal and permanent storage of residual emissions*
 - Customers do not accept compensation

^{*}Net-Zero-Standard.pdf (sciencebasedtargets.org) (Page 20, Chapter 2.3)



- 2. How to develop a climate strategy
- 3. Overview of reduction levers
 - 3.1 Optimize energy & process efficiency
 - 3.2 Purchase and generate renewable energy
 - 3.3 Increase share of recycled and scrap material
 - 3.4 Optimize logistics
 - 3.5 Further reduction levers
- 4. Glossary and definitions



4. Glossary and definitions (1/4)

Abatement cost:

The abatement cost is the cost of an intervention (e.g. carbon reduction measure) that will reduce greenhouse gas emissions by one ton.

CDP (Carbon Disclosure Project):

CDP is a not-for-profit charity that runs the global disclosure system for investors, companies, cities, states and regions to measure and manage their environmental impact

Climate-neutrality:

Climate neutrality refers to the idea of achieving net zero greenhouse gas emissions by balancing those emissions, so they are equal (or less than) the emissions that get removed through the planet's natural absorption. In basic terms it means we reduce our emissions through climate action. Actual carbon avoidance and reduction is priorities over carbon compensation.

CO2 Equivalents (CO₂e):

A carbon dioxide equivalent or CO_2 equivalent, abbreviated bas CO_2 e, is a metric measure used to compare the emissions from various greenhouse gases on the basis of their global-warming potential (GWP), by converting amounts of other gases to the equivalent amount of carbon dioxide with the same global warming potential.

Corporate Carbon Footprint (CCF):

A corporate carbon footprint balances a company's own and all relevant greenhouse gas emissions that are caused along the value chain in which the company under consideration is located. This applies a top-down approach.

4. Glossary and definitions (2/4)

ESG (Environment, Social, Governance):

The abbreviation "ESG" stands for Environmental, Social and Governance and describes a comprehensive set of rules for evaluating the sustainable and ethical practices of companies.

Emission factor:

The release of greenhouse gas emissions into the atmosphere depends mainly on the activity and the product. In order to estimate greenhouse gas emissions per unit of available activity, a specific emission factor per unit is used. Applicable emission factors can be found in established databases (e.g. GaBi, DEFRA, EcoInvent).

Global Warming Potential (GWP):

Global-warming potential, abbreviated as GWP, is a term used to describe the relative potency, molecule for molecule, of a greenhouse gas, taking account of how long it remains active in the atmosphere.

Greenhouse Gas Protocol:

The Greenhouse Gas Protocol (GHG Protocol) provides standards and tools that help countries, cities and companies progress toward climate goals and account appropriately for their carbon emissions they have caused.

Guarantee of Origin (GoO):

A Guarantee of Origin is an EU guarantee that a given amount of power is produced at a particular power plant. It is a voluntary certification scheme allowing consumers to choose a source of production, typically the choice between renewable and non-renewable electricity.

4. Glossary and definitions (3/4)

NQC:

NQC is a leader in supply chain risk management with over ten years experience providing technology and insight to global industry and governments.

Product Carbon Footprint (PCF):

A product carbon footprint balances all greenhouse gas emissions – based on a defined unit of benefit – that oocur during the life cycle of a product. This applies a bottom-up approach.

Power Purchase Agreement (PPA):

A power purchase agreement (PPA), or electricity power agreement, is a long-term contract between an electricity generator and a customer, usually a utility, government of company. PPAs may last anywhere between 5 and 20 years, during which time the power purchaser buys energy at a pre-negotiated price.

Renewable energy:

Renewable energy is energy derived from natural sources that are replenished at a higher rate than they are consumed. Sunlight and wind, for example, are such sources that are constantly being replenished. Renewable energy sources are plentiful and all around us. Nuclear energy is not included in renewable energy.

SAQ (Sustainability Assessment Questionnaire):

The SAQ is a tool by NQC to measure and enhance a companies sustainability performance in the supply chain.

4. Glossary and definitions (4/4)

SBTi (Science based target initiative):

The SBTi defines and promotes best practice in science-based carbon target setting, offering a range of target-setting resources, guidance, and verification of climate targets to align with the global effort to prevent the worst effects of climate change.

Scope 1:

Scope 1 includes all direct greenhouse gas emissions, such as primary energy sources used directly in company real estate. Examples include natural gas, heating oil, petrol or diesel.

Scope 2:

Scope 2 include the indirect greenhouse gas emissions resulting from the generation of the energy procured. The CO_2 emissions result from the consumption of secondary energy sources such as electricity, district heating, steam or cooling energy in buildings and in electric vehicles.

Scope 3 upstream:

Scope 3 upstream emissions are the indirect emissions related to a reporting company's suppliers, from the purchased materials that flow into the company to the products and services the company utilizes. This includes purchased goods and services, capital goods, fuel and energy-related activities, upstream transportation and distribution, waste generated in operations, business travel, employee commuting, and upstream leased assets.

Scope 3 downstream:

Scope 3 downstream emissions are the emissions related to customers, from selling goods and services to their distribution, use, and end-of-life stages. This includes downstream transportation and distribution, processing of sold products, use of sold products, end-of-life treatment of sold products, downstream leased assets, franchises, and investments.

We pioneer motion